

MASADA JACK

MASADA Garage Jacks

Part Numbers

SJ-30H, SJ-50H, SJ-100H

FEATURES

- Quality is the criteria with this equipment, a foot pedal-pumping device to raise the saddle to the load quickly.
- Rear wheel castors are fitted to balance the weight of the jack enabling the operator to move the jack in any direction using the lockable handle and footplate on the rear of the jack.
- Built-in automatic safety valves prevent overloading.
- Overall construction of selected steels gives long and trouble free use.
- Warranty 12 months



SPECIFICATIONS	SJ-30H	SJ-50H	SJ-100H
Working Load Limit	3,000kg	5,000kg	10,000kg
Closed height	126mm	150mm	160mm
Lift	480mm	410mm	400mm
Maximum height	606mm	560mm	560mm
Length	1310mm	1410mm	1550mm
Width	235mm	365mm	495mm
Handle Length	1070mm	1070mm	1230mm
Net Weight	65kg	85kg	135kg

KARMOT PTY. LTD. SYDNEY - MELBOURNE



LIFTECH Floor Jacks

Part Numbers

YM500C, YM1000C, YM2000C



FEATURES

- Quality is the criteria with this equipment, a foot pedal pumping device to raise the saddle to the load quickly.
- Rear wheel castors are fitted to balance the weight of the jack enabling the operator to move the jack in any direction using the lockable handle and footplate on the rear of the jack.
- Built-in automatic safety valves prevent overloading.
- Overall construction of selected steels gives long and trouble free use.
- Parts and service available Australia wide.
- Warranty 12 months


SPECIFICATIONS	YM500C	YM1000C	YM2000C
Working Load Limit	5,000kg	10,000kg	20,000kg
Closed height	150mm	160mm	190mm
Lift	410mm	400mm	420mm
Maximum height	560mm	560mm	610mm
Overall Length	1420mm	1560mm	1690mm
Overall Width	375mm	400mm	496mm
Net Weight	110kg	150kg	230kg



LIFTECH Air / Hydraulic Floor Jack

Part Numbers

**YMA500C, YMA1000C,
YMA1500L**



FEATURES

- Quality is the criteria with this equipment, using an air operated valve to allow the operator to raise the saddle to the load quickly.
- Rear wheel castors are fitted to balance the weight of the jack enabling the operator to move the jack in any direction using the lockable handle and footplate on the rear of the jack.
- Built-in automatic safety valves prevent overloading.
- Overall construction of selected steels gives long and trouble free use.
- Parts and service available Australia wide.
- Warranty 12 months.

SPECIFICATIONS

	YMA500C	YMA1000C	YMA1500L
Working Load Limit	5,000kg	10,000kg	15,000kg
Closed Height	150mm	160mm	175mm
Lift	410mm	400mm	475mm
Maximum Height	560mm	560mm	650mm
Overall Length	1420mm	1560mm	1745mm
Maximum Frame Height	200mm	215mm	230mm
Net Weight	104kg	155kg	235kg



**LIFTECH High Lift
Garage Jack**

Part Number
YM120HL

FEATURES

- Approved to Australian Standards AS/NZS 2615-1995
- Wide wheel-base for extra stability
- Frame designed for strength and safety
- All Japanese seals fitted
- Service and parts back-up Australia wide
- 12 month warranty



SPECIFICATIONS

YM120HL

Working Load Limit	1,200kg
Closed Saddle Height	95mm
Hydraulic Lift	708mm
Maximum Saddle Height	826mm
Overall Length	1010mm
Overall Width	435mm
Maximum Frame Height	170mm
Net Weight	67kg



LIFTECH Garage Jack

Part Number

YM200XK

This NEW quality **Liftech jack** is a combination of 80 years of manufacturing experience and our understanding of the Australian market requirements.

A **strong, reliable jack with no gimmicks** that is **easy to use** with a **long service life**.



FEATURES

- Approved to Australian Standards AS/NZS 2615-1995.
- Service and Parts back up Australia wide.
- 12 month warranty.
- Heavy duty castors.
- All Japanese seals fitted.

SPECIFICATIONS

	YM200XK
Working Load Limit	2,000kg
Closed Saddle Height	95mm
Hydraulic Lift	413mm
Maximum Saddle Height	508mm
Overall Length	690mm
Overall Height with Handle	1540mm
Overall Width	376mm
Maximum Frame Height	160mm
Net Weight	48kg



LIFTECH Garage Jack

Part Number

YM300BN

FEATURES

- Only short wheelbase light truck jack available in Australia.
- Lower clearance than any jack in its class.
- All Japanese seals fitted.
- Service and parts back-up Australia wide.
- 12 month warranty.



SPECIFICATIONS	YM300BN
Working Load Limit	3,000kg
Closed Height	95mm
Lift	530mm
Maximum Height	625mm
Overall Length without Handle	924mm
Overall Width	445mm
Net Weight	73kg



Garage Jack

MODEL LTM200P
Capacity 2,000KG

- ♦ **Approved to Australian Standards AS/NZS 2615-1995**
- ♦ **12 Month Warranty**
- ♦ **Service and Parts back-up Australia wide**



Model	Capacity	Hydraulic Lift	Min. Saddle Height	Max. Saddle Height	Overall Length	Overall Width	Net Weight
LTM200P	2,000Kg	360mm	125mm	485mm	600mm	370mm	35Kg

KARMOT PTY. LTD. SYDNEY- MELBOURNE



TURBO JACK

Part Number
LT150TLP
Working Load Limit
1,500kg

FEATURES

- Tested and complies with Australian Standards AS/NZS 2615-1995 and tested to AS/NZS 2615-2004.
- Turbo lift to load
- Extended low entry with a high lift
- Universal joint release
- Handle stands over centre
- Built longer and wider for extra safety and stability
- 12 Month Warranty
- Service and parts back-up Australia wide



SPECIFICATIONS	LT150TLP
Working Load Limit	1,500kg
Closed Height	90mm
Lift	435mm
Maximum Height	525mm
Maximum Frame Height	154mm
Overall Length	790mm
Overall Width	390mm
Net weight	53kg





TURBO JACK

Part Number
LT200T
Working Load Limit
2,000kg

FEATURES

- Tested and complies with Australian Standards AS/NZS 2615-1995 and tested to AS/NZS 2615-2004.
- Turbo lift to load
- Universal joint release
- Handle stands over centre
- 12 Month Warranty
- Service and parts back-up Australia wide



SPECIFICATIONS	LT200T
Working Load Limit	2,000kg
Closed Height	125mm
Lift	355mm
Maximum Height	480mm
Maximum Frame Height	171mm
Overall Length	720mm
Overall Width	370mm
Net weight	41kg