



MASADA JACK

MASADA Toe Jacks

Part Numbers

MHC-2RS, MHC-5RS, MHC-10RS



FEATURES

- Ideal jack for lifting loads with a low minimum jacking clearance.
- Applications include: house moving, machinery installation, and applications at shipyards, bridge building, or plant construction sites.
- Parts and service available Australia wide.

SPECIFICATIONS	MHC-2RS	MHC-5RS	MHC-10RS
Working Load Limit toe	2,000Kg	5,000Kg	10,000Kg
Working Load Limit head	5,000Kg	10,000Kg	20,000Kg
Closed height on toe	16mm	22mm	28mm
Lift	113mm	120mm	145mm
Maximum height on toe	129mm	142mm	173mm
Length X width	50mm x 65mm	57mm x 75mm	60mm x 100mm
Closed height on head	240mm	290mm	325mm
Maximum height on head	353mm	410mm	470mm
Base area	160mm x 211mm	182mm x 852mm	240 x 280mm
Net Weight	13Kg	21Kg	37 Kg

KARMOT PTY. LTD. SYDNEY - MELBOURNE

MASADA JACK

MASADA Mini Bottle Jack

Part Numbers

MMJ-5C, MMJ-10C



FEATURES

- Super low profile small jack.
- Convenient for delicate work such as fine adjusting or centering of heavy machinery.



MMJ-5C and MMJ-10C are available in Australia with higher capacities available ex-factory.

SPECIFICATIONS	MMJ-5C	MMJ-10C
Working Load Limit	5,000Kg	10,000Kg
Closed height	65mm	120mm
Maximum height	85mm	150mm
Base Area Lift	74mm Diameter 20mm	108mm Diameter 30mm
Net Weight	1.9Kg	5.5Kg

KARMOT PTY. LTD. SYDNEY - MELBOURNE

MASADA JACK

MASADA Bottle Jacks with Pressure Gauge

Part Numbers

MH-10P, MH-15P, MH-20P

FEATURES

- Equipped with pressure gauge, working load and pressure can be confirmed at a glance
- Widely used for measuring heavy weight and destructive test work.



MH-10P



MH-20P

SPECIFICATIONS	MH-10P	MH-15P	MH-20P
Working Load Limit	10,000Kg	15,000Kg	20,000Kg
Closed Height	240mm	265mm	270mm
Lift	150mm	165mm	160mm
Extension Screw Height	80mm	80mm	N/A
Maximum Height	470mm	510mm	430mm
Base Area	166mm x 106mm	180mm x 118mm	182mm x 128mm
Net Weight	19.9Kg	12.8Kg	14.3 Kg

MASADA JACK

MASADA Two Stage Telescopic Jacks

Part Numbers

HFD-10, HFD-10F, HPD4NG



FEATURES

- Designed to give long travel from a low position
- Parts and service available Australia wide

SPECIFICATIONS	HPD4NG	HFD-10	HFD-10F
Working Load Limit	2,000kg	10,000kg	10,000kg
Closed height	150mm	170mm	160mm
Lift	160mm	180mm	100mm
Extension Screw height	30mm	70mm	N/A
Adaptor	N/A	N/A	40mm
Maximum height	340mm	420mm	260mm
Base Area	110mm x 130mm	118mm x 180mm	118mm x 180mm
Net Weight	4.3kg	8.7Kg	8.7Kg